


spoiling

Fabrics 2021





Callum 4



Callum 22



Callum 18



Callum 5




Callum 24



Callum 17



Callum 1



Callum 12



Callum 28



Callum 2



Callum 10




Callum 25

Live life, love Spoinq


Spoinq maakt gebruik van kwalitatieve en hoogwaardige materialen en stoffen. Wij willen u een ruime keuze bieden in exclusieve dessins en texturen.

Artikel:	Callum
Breedte:	140 cm
Samenstelling:	100% Polyester
Lichtechtheid:	5
Slijtweerstand:	40.000 toeren Martindale
Brandbestendigheid:	Brandvertragend BS 5852
Reiniging:	Wassen 30 graden

www.spoinq.nl




Samual 28



Samual 27



Samual 30




Samual 34




Samual 35




Samual 32



Samual 17




Samual 22



Samual 26



Samual 18



Samual 15



Samual 14

Live life, love Spoinq

Spoinq maakt gebruik van kwalitatieve en hoogwaardige materialen en stoffen. Wij willen u een ruime keuze bieden in exclusieve dessins en texturen.

Artikel:	Samual
Breedte:	140 cm
Samenstelling:	100% Polyester
Lichtechtheid:	5
Slijtweerstand:	100.000 toeren Martindale
Brandbestendigheid:	Brandvertragend BS 5852
Reiniging:	Wassen 30 graden



Cream 02



Taupe 12



Espresso 123




Azure 144



Iceblue 43



Blue 45



Pistachio 52



Lilac 70



Lavender 71



Gold 132



Olive 53



Forest 162

Live life, love Spoinq

Article:	Facet (price category 1)
Width:	138 cm
Weight	600 g/m
Composition:	70% Wool, 25% Polyamide, 5% OF
Light fastness:	4
Wear resistance :	40.000 cycles Martindale
Fire resistance:	EN 1021-1: 2006 PASS + EN 1021-2: 2006 PASS
Cleaning:	Softly clean with damp cloth

Live life, love Spoinq

Spoinq maakt gebruik van kwalitatieve en hoogwaardige materialen en stoffen. Wij willen u een ruime keuze bieden in exclusieve dessins en texturen.

Article:	Juke (price category 1)
Composition:	Faceside 100% PES, backing 90% PES, 10% Cotton
Weight:	560 g/lm
Width:	138 cm
Wear resistance:	100.000 cycles Martindale
Light Fastness:	5
Fire resistance:	Passes BS 5852 (1979) : the cigarette test PASS
Cleaning:	Softly clean with damp cloth. Juke is a knitted fabric.



Steel 149



Grey 65



Anthracite 67



Hunter 156



Charcoal 79



Onyx 169



Pink 73



Magnolia 160



Winered 39



Red 35



Bordeaux 37



Orange 25

Live life, love Spoinq

Spoinq maakt gebruik van kwalitatieve en hoogwaardige materialen en stoffen. Wij willen u een ruime keuze bieden in exclusieve dessins en texturen.


Article:	Juke (price category 1)
Composition:	Faceside 100% PES, backing 90% PES, 10% Cotton
Weight:	560 g/lm
Width:	138 cm
Wear resistance:	100.000 cycles Martindale
Light Fastness:	5
Fire resistance:	Passes BS 5852 (1979) : the cigarette test PASS
Cleaning:	Softly clean with damp cloth. Juke is a knitted fabric.

spInq

Soil, 100% recycled PET



Soil natural 01



Soil ocre 23



Soil hazel 96



Soil indigo 90



Soil turquoise 44



Soil niagara 158



Soil lilac 70



Soil blush 92



Soil carmine 36



Soil eucalyptus 193




Soil army 14



Soil sage 203

Live life, love Spoinq

Article:	Soil (price category 1)
Width:	138 cm
Composition:	60% RPET, 40% PES
Light fastness:	4-5
Wear resistance:	100.000 cycles Martindale
Fire resistance:	BS 5852 (1979)
Cleaning:	Softly clean with damp cloth
Innovative textile from recycled plastic	



Facet black 1003



Facet lightgrey 1000



Facet ashgrey 40




Facet natural 01




Facet kiezel 7



Facet shitake 124



Facet maize 22



Facet terra 31




Facet rust 29




Facet blossom 166



Facet pink 73



Facet aubergine 74



Facet olive 53




Facet pistachio 52



Facet army 14




Facet mint 50




Facet lightblue 41



Facet azure 144




Facet petrol 56




Facet blue 45




Facet oceanblue 147



Facet indigo 90



Facet red 2011




Facet violet 72

Live life, love Spoinq

Article:	Facet (price category 1)
Width:	138 cm
Weight:	600 g/m
Composition:	70% Wool, 25% Polyamide, 5% OF
Light fastness:	4
Wear resistance:	40.000 cycles Martindale
Fire resistance:	EN 1021-1: 2006 PASS + EN 1021-2: 2006 PASS
Cleaning:	Softly clean with damp cloth

spInq

Regain, 100% recycled PET



Regain cream 02



Regain lightgrey 60



Regain ocre 23



Regain blush 92



Regain hazel 96



Regain scarlet 141




Regain taupe 12



Regain hunter 156




Regain eucalyptus 193



Regain indigo 90



Regain niagara 158




Regain darkgrey 68


Live life, love Spoinq

Article:	Regain 100% recycled PET (price category 1)
Width:	138 cm
Composition:	100% RPET
Light fastness:	4-5
Wear resistance:	100.000 cycles Martindale
Fire resistance:	BS 5852 (1979)
Cleaning:	Softly clean with damp cloth
Innovative textile from recycled plastic	


Sotega FLS




Sotega FLS 82




Sotega FLS 68




Sotega FLS 96




Sotega FLS 13




Sotega FLS 12




Sotega FLS 81




Sotega FLS 55




Sotega FLS 83



Sotega FLS 72



Sotega FLS 94



Sotega FLS 70




Sotega FLS 93

Live life, love Spoinq

Article:	Sotega FLS (price category 2)
Composition:	Ca. 2% PU-Finish, ca. 73% PVC-compound, ca. 25% CO-stof
Weight:	780 +/- 50 gr./m ²
Thickness:	1,7 +/- 0,2 mm
Wear resistance:	DIN EN ISO 5470-2: > 50.000 cycles Martindale
Cleaning:	Softly clean with damp cloth and mild soap. Do not use solvents, chlorides, abrasives or wax polishes.
Fr standards:	NF M2 BS 5852 part 0+1+5 EN 1021 part 1+2 DIN 4102 (Part1, B2) MVSS302 ÖNORM B3825 B1 ÖNORM A 3800-1 Q2




Adore ecru 102




Adore beige 05




Adore liver 10



Adore coffee 81




Adore copper 126




Adore gold 132



Adore hunter 156




Adore steel 149



Adore petrol 56



Adore blossom 166



Adore blush 92



Adore pale 200

Live life, love Spoinq

Article:	Adore (price category 1)
Width:	138 cm
Composition:	100% PES
Light fastness:	Light: 5 Medium: 5 Dark: 4-5
Wear resistance:	88.000 cycles Martindale
Cleaning:	Softly clean with damp cloth



Highland 8



Highland 9



Highland 7




Highland 1



Highland 54



Highland 67



Highland 2



Highland 28

Live life, love Spoinq

Spoinq maakt gebruik van kwalitatieve en hoogwaardige materialen en stoffen. Wij willen u een ruime keuze bieden in exclusieve dessins en texturen.

Article:	Highland (price category 2)
Width:	140 cm
Composition:	100% wool
Weight:	485 g/m
Light Fastness:	4-5
Wear resistance:	> 40.000 cycles Martindale
Fire resistance:	BS EN 1021 1&2
Cleaning:	Chemical cleaning



Highland 3




Highland 37




Highland 6



Highland 14



Highland 4



Highland 47




Highland 48

Live life, love Spoinq

Spoinq maakt gebruik van kwalitatieve en hoogwaardige materialen en stoffen. Wij willen u een ruime keuze bieden in exclusieve dessins en texturen.

Article:	Highland (price category 2)
Width:	140 cm
Composition:	100% wool
Weight:	485 g/m
Light Fastness:	4-5
Wear resistance:	> 40.000 cycles Martindale
Fire resistance:	BS EN 1021 1&2
Cleaning:	Chemical cleaning



K5127-03 Sulphur



K5126-04 Lime



K5125-09 Spring Green



K5127-02 Peach



K5126-09 Turmeric



K5125-25 Naturel



K5127-04 Ocean



K5126-05 Ocean



K5125-14 Mint



K5127-01 Tomato



K5126-02 Tomato



K5125-32 Blossom


Live life, love Spoinq

Spoinq maakt gebruik van kwalitatieve en hoogwaardige materialen en stoffen. Wij willen u een ruime keuze bieden in exclusieve dessins en texturen.


Article:	Leaf (recycled)
Width:	140 cm
Composition:	100% Wo, 100% recycled Yarns
Fire resistance:	Passes cigarette test, IGN 1 match pass. This fabric is on special order also available with Crib 5, at request with some extra costs.
Martindale:	40.000
Cleaning:	Softly clean with damp cloth




Spot 391




Spot 376



Spot 389




Spot 387




Spot 373



Spot 327



Spot 355




Spot 357

Live life, love Spoinq

Spoinq maakt gebruik van kwalitatieve en hoogwaardige materialen en stoffen. Wij willen u een ruime keuze bieden in exclusieve dessins en texturen.

Spoinq biedt onder andere stoffen aan uit de collectie van het Zweedse merk Bogesunds.

Artikel:	Spot
Breedte:	150 cm
Gewicht:	840 g/m
Samenstelling:	100% Trevira CS
Lichtechtheid:	5-7
Slijtweerstand:	50.000 toeren Martindale
Brandbestendigheid:	SS-EN 1021:1+2 (sigaret + klein vuur) IMO Res A 652 (16) IMO vereist foam min. 30 kg/m
Reiniging:	Kort centrifugeren Wassen en stomen




CF 752/2323




CF 751/1228



CF 752/2727



CF 751/1734



CF 752/1515




CF 751/1534



CF 751/0302



CF 752/3838



CF 752/0202



CF 752/0303



CF 752/0101



CF 751/0102


Live life, love Spoinq

Spoinq maakt gebruik van kwalitatieve en hoogwaardige materialen en stoffen. Wij willen u een ruime keuze bieden in exclusieve dessins en texturen.


Article:	Troon and Turnberry (price category 2)
Composition:	92% pure new wool, 8% nylon
Weight:	500 g/lm, 357 g/m ²
Width:	140 cm
Wear resistance:	Turnberry (CF751): 80.000 cycles Martindale Troon (CF752): 60.000 cycles Martindale
Light Fastness:	Colours comply with the requirements of BS EN ISO 105- B02:1999
Fire resistance:	Passes BS EN 1021 – 1 and 2:2006 (ignition sources 0 and 1), and BS5852:2006 (Section 4: ignition source 5). Also satisfies the requirements of BS7176:2007 (Medium Hazard category)
Cleaning:	Regular maintenance greatly extends the useful life of a fabric. Ask for details of cleaning recommendations or consult a professional cleaning organisation.




Cardigan 261




Cardigan 256



Cardigan 270



Cardigan 247




Cardigan 279



Cardigan 277



Cardigan 258



Cardigan 275



Cardigan 273


Live life, love Spoinq

Spoinq maakt gebruik van kwalitatieve en hoogwaardige materialen en stoffen. Wij willen u een ruime keuze bieden in exclusieve dessins en texturen.

Design:	Marie Dreiman
Article:	Cardigan (2011) (price category 2)
Repeating:	2,0 x 1,5
Width:	150 cm
Composition:	100% Trevira CS
Weight:	770 g/m
Light Fastness:	5-7
Wear resistance:	50 000 cycles Martindale
Fire resistance:	SS EN 1021:1+2 / BS 5852 Part 1 (cigarette + small fire) IMO Res A 652 (16) IMO required foam min 30 kg/m ³
Cleaning:	Short spin Towel dry Washing and dry cleaning



Botero Copper 7844-07



Habanera Copper 7841-03



Joropo Copper 7837-03




Botero Verde 7844-06



Habanera Verde 7841-02




Joropo Verde 7837-02



Botero Cayenne 7844-08



Habanera Chili 7841-05



Joropo Chili 7837-05

Live life, love Spoinq

Spoinq maakt gebruik van kwalitatieve en hoogwaardige materialen en stoffen. Wij willen u een ruime keuze bieden in exclusieve dessins en texturen.

Article:	Romo Botero 7844, stofcat. 3
Width:	136 cm
Composition:	78% VI, 22% MA, Pile 100% VI
Fire resistance:	Passes BS 5852 part 1 and 2, cigarette test, EN1021 part 1 and 2
Martindale:	50.000

Article:	Romo Habanera 7841, stofcat. 3
Width:	132cm
Composition:	95% TCS, 5% PA FR
Fire resistance:	Passes BS 5852 part 1 and 2, cigarette test, EN1021 part 1 and 2
Martindale:	40.000

Article:	Romo Joropo 7837, stofcat.3
Width:	140cm
Composition:	100% TCS
Fire resistance:	Passes BS 5852 part 1 and 2, cigarette test, EN1021 part 1 and 2
Martindale:	50.000

*Cleaning: Softly clean with damp cloth.

www.spoinq.nl




Tweed 1011




Tweed 3513



Tweed 1401




Tweed 1616




Tweed 3026



Tweed 0509



Tweed 3235




Tweed 0907



Tweed 3334



Tweed 3417



Tweed 0215



Tweed 2802

Live life, love Spoinq

Spoinq maakt gebruik van kwalitatieve en hoogwaardige materialen en stoffen. Wij willen u een ruime keuze bieden in exclusieve dessins en texturen.

Artikel:	Tweed
Breedte:	140 cm
Gewicht:	645 g/m, 460 g/m ²
Samenstelling:	100% wol
Lichtechtheid:	6
Slijtweerstand:	50.000 toeren Martindale
Brandbestendigheid:	SS-EN 1021:1+2 BS 5852 Part 1 (sigaret + klein vuur)
Reiniging:	Wassen en stomen



Camel



Cognac



Bruciato



Tortora




Fumo



Bosco



Terra



Chocolate



Black

Live life, love Spoinq

Spoinq maakt gebruik van kwalitatieve en hoogwaardige materialen en stoffen. Wij willen u een ruime keuze bieden in exclusieve dessins en texturen.

Article:	Gogain
Hide size:	4.20 m ²
Thickness:	ca. 0.9 mm
Finish:	Gogain is a full grain article with an aniline barrel, so rightfully a "pure aniline" for connoisseurs the only real leather. For Gogain New Zealand bulls are used with an average size of 4.75 m ² and a thickness of 1.0 mm / 1.1 mm. Because of the complete open structure all-natural characteristics are and remain visible, these cannot be labelled as mistakes in any way, but are rather a sign of real leather. Because of the aniline barrel the Gogain gets its deep vivid colour, because of this colour differences can occur but also these belong to the charms of a pure aniline.
Maintenance:	If staining does occur, it is advisable to dab the stain with a soft, damp cloth. Optionally, a cleaning detergent can be used, providing that it is water based and contains no solvents or alcohol.
Light fastness:	The consequences of the aniline leather type is there no protective covering which makes it susceptible to discoloration by sunlight. It is therefore not recommended to place furniture upholstered with Gogain in direct sunlight. Due to the natural properties of leather colour variations between one dye lot and another may occur.



Neuss 21



Wicker 13



Ohio 006



Missouri 87



Wicker 08



Ohio 010



Missouri 80



Wicker 01



Ohio 003



Missouri 90



Wicker 16



Michigan 84

Live life, love Spoinq

Spoinq maakt gebruik van kwalitatieve en hoogwaardige materialen en stoffen. Wij willen u een ruime keuze bieden in exclusieve dessins en texturen.

Article:	Character Michigan
Width:	137 cm
Composition:	87%PVC, 13% Rayon
Flame retarded:	BS 5852 source 0+1 EN 1021 1+2
Martindale:	100.000
Lightfastness:	6

Article:	Character Missouri
Width:	137 cm
Composition:	89%PVC, 11% CO/PES knitted fabric
Flame retarded:	BS 5852 source 0+1 EN 1021 1+2, M2
Martindale:	30.000
Lightfastness:	5

Article:	Character Neuss
Width:	138 cm
Composition:	90% PVC, 10% PU
Flame retarded:	BS 5852 source 0+1
Martindale:	150.000
Lightfastness:	5

www.spoinq.nl



Ohio 008




Wicker 07



Oregon 325



Neuss 19



Wicker 15



Neuss 25



Missouri 84



Wicker 11



Ohio 005



Ohio 001



Wicker 05



Neuss 24

Live life, love Spoinq

Spoinq maakt gebruik van kwalitatieve en hoogwaardige materialen en stoffen. Wij willen u een ruime keuze bieden in exclusieve dessins en texturen.

Article:	Character Ohio
Width:	138 cm
Composition:	83% PVC, 14% CO/PES, 3% PU
Flame retarded:	B2, M2, CRIB 5
Martindale:	150.000
Lightfastness:	6


Article:	Character Oregon
Width:	140 cm
Composition:	100% PU, backing 33% CO, 67% PES
Flame retarded:	BS 5852 source 0+1 EN 1021 1+2
Martindale:	200.000
Lightfastness:	4

Article:	Character Wicker
Width:	137 cm
Composition:	65% PVC, 35% PES
Flame retarded:	BS 5852 source 0+1
Martindale:	35.000
Lightfastness:	6

www.spoinq.nl



Craigmore
Item Code CF1115/0101



Straad
Item Code CF1115/0301



Rothsay
Item Code CF1115/0402




Kilchattan
Item Code CF1115/0104




Kingarth
Item Code CF1115/0604



Ascog
Item Code CF1115/0704



Scalpsay
Item Code CF1115/0201



Kerrycroy
Item Code CF1115/0503



Montgomery
Item Code CF1116/0806



Colquhoun
Item Code CF1116/0201



Forbes
Item Code CF1116/0604



Ross
Item Code CF1116/0402



Stewart
Item Code CF1116/0503



Douglas
Item Code CF1116/0705



Sinclair
Item Code CF1116/0101



Buchanan
Item Code CF1116/0301

Identity Kin CF1115 Clan CF1116

Design

Identity Collection created by David Irwin with Bute Design Studio.

Application

Jacquard woven fabric suitable for upholstery and drapery in both heavy duty contract and domestic applications. Also suitable for drapery application.

Composition

68% wool, 21% Polyamide, 11% Silk

Fabric Weight

532g/linear metre, 380g/m² approx.

Fabric Width

140cm approx. standard usable width.

Fabric Length

Lengths controlled and registered by calibrated measuring devices.

Abrasion Resistance

Martindale 100,000 cycles

Light Fastness

Colours comply with the requirements of BS EN ISO 105 – B02

Flame Retardancy Certifications

Passes Crib 5 Contract Upholstery
Passes Cigarette and Match
Passes Curtain and Drape
Passes IMO Upholstery

After Care


Regular maintenance greatly extends the useful life of a fabric. Ask for details of cleaning recommendations or consult a professional cleaning organisation.

Special Requirements

Our Design Studio collaborates in the development of special fabrics to fulfill aesthetic or fitness-for-purpose criteria.

Ongoing Development

It is our policy to promote continuous product development and we therefore reserve the right to change technical specifications, introduce or withdraw fabrics from the Bute Collection without prior notice.



Cove
Item Code CF1117/0202



Humbie
Item Code CF1117/0407



Rubislow
Item Code CF1117/0704



Polmaise
Item Code CF1117/0101



Joppa
Item Code CF1117/0504



Giffnock
Item Code CF1117/0303



Kemnay
Item Code CF1117/0605



Dunmore
Item Code CF1117/0403

Strata
Mason CF1117 and Mineral CF1118



Quartz
Item Code CF1118/0101



Serpentine
Item Code CF1118 0- 4



Cadmium
Item Code CF1118/0805



Mica
Item Code CF1118/0705



Corundum
Item Code CF1118/0303



Variscite
Item Code CF1118/0604



Feldspar
Item Code CF1118/0202



Kyanite
Item Code CF1118/0504

Strata Mason CF1117 Mineral CF1118

Design

Strata Collection created by David Irwin with Bute Design Studio.

Application

Jacquard woven fabric suitable for upholstery and drapery in both heavy duty contract and domestic applications. Also suitable for drapery application.

Composition

76% Wool, 21% Polyamide,
3% other fibres

*Contains over 50% recycled fibres

Fabric Weight

490g/linear metre, 350g/m² approx.

Fabric Width

140cm approx. standard usable width.

Fabric Length

Lengths controlled and registered by calibrated measuring devices.

Abrasion Resistance

Martindale 100,000 cycles

Light Fastness

Colours comply with the requirements of BS EN ISO 105 – B02

Flame Retardancy Certifications

Passes Crib 5 Contract Upholstery

Passes Cigarette and Match

Passes Curtain and Drape

Passes IMO Upholstery

After Care

Regular maintenance greatly extends the useful life of a fabric. Ask for details of cleaning recommendations or consult a professional cleaning organisation.

Special Requirements

Our Design Studio collaborates in the development of special fabrics to fulfill aesthetic or fitness-for-purpose criteria.

Ongoing Development

It is our policy to promote continuous product development and we therefore reserve the right to change technical specifications, introduce or withdraw fabrics from the Bute Collection without prior notice.