

Soil 100% recycled PET



Soil natural 01




Soil ocre 23



Soil hazel 96



Soil indigo 90



Soil turquoise 44



Soil niagara 158



Soil lilac 70



Soil blush 92



Soil carmine 36



Soil eucalyptus 193



Soil army 14



Soil sage 203

Cleaning:

Article:	SOIL, innovative textile from recycled plastic
Width:	138 cm
Composition:	60% RPET, 40% PES
Light fastness:	4-5
Martindale:	100.000
Fire resistance:	BS 5852 (1979)

Softly clean with damp cloth



Adore



Adore ecru 102



Adore beige 05



Adore liver 10



Adore coffee 81



Adore copper 126



Adore gold 132



Adore hunter 156



Adore steel 149



Adore petrol 56



Adore blossom 166



Adore blush 92



Adore pale 200

Article:	ADORE
Width:	138 cm
Composition:	100% PES
Light fastness:	Light: 5 Medium: 5 Dark: 4-5
Martindale:	88.000
Cleaning:	Softly clean with damp cloth



Regain 100% recycled PET



Regain cream 02



Regain lightgrey 60



Regain ocre 23



Regain blush 92



Regain hazel 96



Regain scarlet 141



Regain taupe 12



Regain hunter 156



Regain eucalyptus 193



Regain indigo 90



Regain niagara 158



Regain darkgrey 68

Article:	REGAIN, 100% recycled PET
Width:	138 cm
Composition:	100% RPET
Light fastness:	4-5
Martindale:	100.000
Fire resistance	RS 5852 (1979)

Softly clean with damp cloth

www.spoinq.nl

Cleaning:



Facet



Facet black 1003



Facet lightgrey 1000



Facet ashgrey 40



Facet natural 01



Facet kiezel 7



Facet shitake 124



Facet maize 22



Facet terra 31



Facet rust 29



Facet blossom 166



Facet pink 73



Facet aubergine 74




Facet

















Facet mint 50

Facet lightblue 41

Facet azure 144







Facet petrol 56

Facet blue 45

Facet oceanblue 147







Facet indigo 90

Facet red 2011

Facet violet 72

Article:	FACET
Width:	138 cm
Weight:	600 g/m
Composition:	70% Wool, 25% Polyamide, 5% OF
Light fastness:	4
Martindale:	40.000
Fire resistance:	EN 1021-1: 2006 PASS + EN 1021-2: 2006 PASS
Cleaning:	Softly clean with damp cloth

Vintage

spoinq



Vintage 127



Vintage dark brown 123



Vintage taupe 12



Vintage almond 82



Vintage liver 10



Vintage cognac 28



Vintage 29




Vintage ashgrey 40



Vintage dolphin 180



Vintage anthracite 67



Vintage graphite 66

Article:	VINTAGE, artificial leather
Composition:	100% PU
Weight:	750 g/lm
Width:	138 cm
Martindale:	100.000
Light fastness:	Class 5
Cleaning:	Contamination by oil, grease and ink must be removed immediately. Clean with warm, mild soap and a micro-fiber cloth or a soft hand brush. Do not use solvents, chlorine, abrasives, chemical cleaners and polishes. Please note that dues with jeans or other clothing are included. Colourshades may slightly vary.

Juke

spoinq
















Juke hunter 156

Juke charcoal 79

Juke onyx 169







Juke pink 73

Juke magnolia 160

Juke winered 39







Juke red 35

Juke bordeaux 37

Juke orange 25

Juke

spoinq



















Juke pistachio 52



Juke lavender 71







Juke gold 132

Juke olive 53

Juke forest 162

Article:	JUKE
Composition:	Faceside 100% PES, backing 90% PES, 10% Cotton
Weight:	560 g/lm
Width:	138 cm
Martindale:	100.000
Light fastness:	5
Fire resistance:	Passes BS 5852 (1979) : the cigarette test PASS
Cleaning:	Softly clean with damp cloth. Juke is a knitted fabric.



Bull, recycled



Beige 05



Onyx 169



Dark Brown 18



Wood 18



Brown 15




Liver 10



Cognac 28



Camel 09



Light grey 60



Grey 65



Hunter 156



Moss 59

Article: BULL with recycled leather

Composition: 96% PES, 4% PU

Backing: 100% recycled leather fibes

Martindale: 32.000

Width: 138cm

Pilling: Grade 3-4

Color fastness to light: Grade 3-4

Maintenance: Dry clean only, we recommend that only companies

experienced in the cleaning of furnishing fabrics are

used.





Graphite 66



Beige 05



Mocca 13



Espresso 123



Hunter 156



Royal Blue 47



Mint 50



Pistachio 52



Mustard 06



Rust 29



Burgundy 34



Carmine 36

Article: FORWARD, a luxury woven and sustainable fabric

Composition 50% post-consumer wool, 30% virgin linen

and 20% recycled polyamide

Martindale: 60.000

Width: 140cm

Pilling: Grade 3-4

Color fastness to light: Grade 4-5

Maintenance: Dry clean only, we recommend that only

companies experienced in the cleaning of

furnishing fabrics are used.



Oregon, 100% PU

only available for benches!







Oregon 307



Oregon 318



Oregon 303



Oregon 304



Oregon 316



Oregon 325



Oregon 390

Cleaning:

OREGON only available for benches!
140 cm
100% PU, backing 33% CO, 67% PES
BS 5852 source 0+1 EN 1021 1+2
200.000
4


Softly clean with damp cloth, water only!



Highland
















Highland 4

Highland 48







Highland 6

Highland 37

Highland 3







Highland 1

Highland 28

Highland 54

Article:	HIGHLAND
Width:	140 cm
Composition:	100% wool
Weight:	485 g/m
Light fastness:	4-5
Martindale:	40.000
Fire resistance:	BS EN 1021 162
Cleaning:	Softly clean with damp cloth




Troon and Turnberry



CF 752/2323



CF 751/1228



CF 752/2727



CF 752/0303



CF 752/1515



CF 751/1534




CF 752/0101



CF 752/3838



CF 752/0202



CF 751/0102

Article:	TROON AND TURNBERRY
Composition:	92% pure wool, 8% nylon
Weight:	500 g/lm, 357 g/m²
Width:	140 cm
Martindale:	Turnberry (CF751): 80.000 Troon (CF752): 60.000
Light fastness:	Colours comply with the requirements of BS EN ISO 105- B02:1999
Fire resistance:	Passes BS EN 1021 - 1 and 2:2006 (ignition sources 0 and 1), and BS5852:2006 (Section 4: ignition source 5). Also satisfies the requirements of BS7176:2007 (Medium Hazard category)
Cleaning:	Softly clean with damp cloth



Sotega FLS



Sotega FLS 82



Sotega FLS 68



Sotega FLS 96



Sotega FLS 13



Sotega FLS 12



Sotega FLS 81




Sotega FLS 55



Sotega FLS 83



Sotega FLS 72



Sotega FLS 94



Sotega FLS 70



Sotega FLS 93

Article: SOTEGA FLS

Composition: Ca. 2% PU-Finish, ca. 73% PVC-compound,

ca. 25% CO-stof

Weight: $780 + /- 50 \text{ gr./m}^2$

Thickness: 1.7 +/- 0.2 mm

Martindale: DIN EN ISO 5470-2: > 50.000

Cleaning: Softly clean with damp cloth and mild soap.

Do not use solvents, chlorides, abrasives or

wax polishes.

Fr standards: NF M2

BS 5852 part 0+1+5 EN 1021 part 1+2 DIN 4102 (Part1, B2)


MVSS302 ÖNORM B3825

В1

ÖNORM A 3800-1 Q2



Wicker



Article:	WICKER
Width:	137 cm
Composition:	65%PVC, 35% PES
Flame retarded:	BS 5852 source 0+1
Martindale:	35.000
Light fastness:	6
Cleaning:	Softly clean with damp cloth, water only!



Tweed



Tweed 1011



Tweed 3513



Tweed 1401




Tweed 1616




Tweed 3026



Tweed 0509



Tweed 3235




Tweed 0907



Tweed 3334



Tweed 3417



Tweed 0215



Tweed 2802

Article:	TWEED
Width:	140 cm
Weight:	645 g/m, 460 g/m ²
Composition:	100% wool
Light fastness:	6
Martindale:	50.000
Fire resistance:	SS-EN 1021:1+2 BS 5852 Part 1 (sigarett + small fire)
Cleaning:	Softly clean with damp cloth



Memphis Fibreguard



03 Sesame



08 Hazel



10 Otter



11 Biscuit



12 Petal



13 Cranberry



18 River



19 Ocean



22 Marine



30 Garden



29 Jungle



26 Linden

Article: Memphis Fibrequard

Composition: 100% Polyester

Width: 140cm

Lightfastness: 5

Martindale: 100.000

Cleaning: Softly clean with damp cloth, water only!.

Do not use solvents, chlorides, abrasives or

wax polishes.

Flame retarded: bs 5852 source 0 CAL 117, NFPA 260 FMVSS 302

Fibreguard is a trusted fabric quality label, which presents a convenient solution to care free easy living. Fibreguard's Stain Free Technology allows you to enjoy your furniture assured that it will be abke to stand up to everyday stains.

From ballpoint pen, to coffee, mud, red wine, and ketchup, common household stains are easily removed allowing you to keep your fabric upholstered furniture looking fresh year after year.

Fibreguard fabrics are green consciuos. Every Fibreguard fabric is OEKO-TEX endorsed certifying that our fabrics are produced in a way that is safe both for our environment and humans - no harmful chemicals or finishes are released from this fabric.



Hayes / Gayle Fibreguard



Hayes 07 Limestone




Hayes 08 Silver



Hayes 10 Onyx



Gayle 04 Gold




Hayes 03 Copper




Hayes 01 Ribbon



Hayes 04 Agate



Gayle 05 Malachite




Hayes 05 Jade



Hayes 06 Galaxy



Hayes 06 Sky



Article: GAYLE Jamaica Pro HAYES Jamaica pro Composition: 73% Polyester 27% acrylic 82%polyester 18% acrylic Width: 140cm Lightfastness: 4-5 Martindale: 70.000 Cleaning: Softly clean with damp cloth, water only!. Do not use solvents, chlorides, abrasives or wax polishes. Flame retarded: bs 5852 source 0 CAL 117, NFPA 260 FMVSS 302

Fibreguard is a trusted fabric quality label, which presents a convenient solution to care free easy living. Fibreguard's Stain Free Technology allows you to enjoy your furniture assured that it will be abke to stand up to everyday stains.

From ballpoint pen, to coffee, mud, red wine, and ketchup, common household stains are easily removed allowing you to keep your fabric upholstered furniture looking fresh year after year.

Fibreguard fabrics are green consciuos. Every Fibreguard fabric is OEKO-TEX endorsed certifying that our fabrics are produced in a way that is safe both for our environment and humans - no harmful chemicals or finishes are released from this fabric.

Romo

spoinq



Botero Copper 7844-07



Botero Cayenne 7844-08



Habanera Copper 7841-03



Botero Verde 7844-06



Habanera Verde 7841-02

Article: ROMO BOTERO 7844

Width: 136 cm

Composition: 78% VI, 22% MA, Pile 100% VI

Fire resistance: Passes BS 5852 part 1 and 2, cigarette test,

EN1021 part 1 and 2

Martindale: 50.000

Article: ROMO HABANERA 7841

Width: 132cm

Composition: 95% TCS, 5% PA FR

Fire resistance: Passes BS 5852 part 1 and 2, cigarette test,

EN1021 part 1 and 2

Martindale: 40.000

Cleaning: Dry clean only, we recommend that only

companies experienced in the cleaning of

furnishing fabrics are used.



Spiral recycled



K5287-11 Cream



K5287-13 Clay



K5287-16 Sienna



K5287-23 Monochrome



K5287-15 Cinnamon




K5287-20 Ocre



K5287-03 Ceder



K5287-04 Aquamarine



K5287-05 Flare



K5287-18 Battery



K5287-06 Dragonfly




K5287-02 Ignite

Article:	SPIRAL recycled PL-CO
Composition:	55% Recycled Polyester, 45% Recycled cotton
Light fastness:	6
Martindale:	100.000
Width:	140cm
Cleaning:	Dry clean only, we recommend that only companies experienced in the cleaning of furnishing fabrics are used.

Romo






K5099-13 Piccadilly Petrol




K5217-05 Metropolitan Petrol




K5099-09 Piccadilly Biscuit



K5217-01 Metropolitan Biscuit



K5099-11 Piccadilly Burnt Orange



K5217-04 Metropolitan Burnt Orange

Article: PICCADILLY

Width: 140 cm

Composition: 59% VI, 23% PL, 18% CO

Fire resistance: Passes BS 5852 part 1 and 2, cigarette test, EN1021

part 1 and 2

Martindale: 30.000

Usage: When used for upholstery within the UK, these fabrics

must be used with a fire retardent interliner.

For France: Piccadilly FR crib 5.

Article: METROPOLITAN

Width: 140 cm

Composition: 60% VI, 16% PL, 24% CO

Fire resistance: Passes BS 5852 part 1 and 2, cigarette test,

EN1021

Martindale: 40.000

Usage: When used for upholstery within the UK, these fabrics

must be used with a fire retardent interliner.

For France: Metropolitan FR crib 5.


Cleaning: Dry clean only, we recommend that only companies

experienced in the cleaning of furnishing fabrics are

used.



Gogain leather



Article:	GOGAIN leather
Hide size:	4.20
Thickness:	ca. 0.9mm
Martindale:	100.000
Light fastness:	Susceptible to discoloration by sunlight

Cleaning: Dab stain with dry paper. We recommend

only companies experienced in the cleaning of leathers

are used.